

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	11	("20040051608" "5429399" "6409083" "6609738" "6989727").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	S2	1484	(335/205-207).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	S3	2548	((335/151-154) or (361/139) or (292/92,251.5)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	19706	read adj head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	1616886	sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	684006	actuator electromagnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	1390402	lock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
8	BRS	S8	3	S4 same S5 same S6 same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S9	21	("3638461"   "3810145"   "4563886"   "4685709"   "4695684"   "4758697"   "5463196"   "5488207"   "5584378"   "5598323"   "5609244"   "6140897"   "6223571"   "6227019"   "6247343"   "6259352"   "6283514"   "6345522"   "6347486"   "6351977").PN. OR ("6539760").URPN.	US-PGPUB; USPAT; USOCR
10	BRS	S10	3	("4790158"   "5254879"   "5894116").PN. OR ("6989727").URPN.	US-PGPUB; USPAT; USOCR
11	BRS	S12	1	(saftey adj switch).ab.	US-PGPUB; USPAT; USOCR
12	BRS	S11	14	saftey adj switch	US-PGPUB; USPAT; USOCR
13	BRS	S13	11762	safety adj switch	US-PGPUB; USPAT; USOCR
14	BRS	S14	720	(safety adj switch).ab.	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
15	BRS	S15	436980	electromagnet solenoid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S16	137	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S17	24	S4 same S7 same S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S18	137	S14 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	S19	257	(safety adj switch).ab. same (machine device)	US-PGPUB; USPAT; USOCR
20	BRS	S20	7	("5752299"   "5944135"   "5960523"   "5966784"   "6082481"   "6175304"   "6357091").PN. OR ("6801112").URPN.	US-PGPUB; USPAT; USOCR